

# LAUNCH

We innovate your business



Product Introduction  
**CRP – CReader Professional**

## Introduction

The CReader Professional combines the lines between a code scanner and a skilled mid-line scan tool.

With features beyond the typical read & clear codes, the CRP takes you to a new level of diagnostics with added capabilities such as enhanced data stream for ABS, SRS, transmission and engine.

5 Series (F11) Active Crash Module
Identification
Read Fault Memory
Clear Fault Memory
Data Stream
2/4

ACM Data Stream
Switch
Seat Position
Seat Occupancy Detector
Seat Belt Buckle Contacts
2/4

## CRP-123

### All OBDII functions:

- Reads and displays I/M monitor status
- Reads and displays DTCs
- Erases DTCs (turns off the MIL)
- Datastream, Views freeze frame data
- Vehicle Information
- O2 Sensor Test, EVAP test

### Non-OBDII functions:

Supports the ENG/AT/ABS/SRS with reads DTCs and erases DTCs functions for **42 series models:**

(Nissan, Infiniti, Toyota, Lexus, Scion, Honda, Acura, Subaru, Mitsubishi, Suzuki, Isuzu, Hyundai, Kia, Daewoo, Mazda, Ford, GM, Chrysler, Benz, Smart, Sprinter, BMW, Mini, VW, Seat, Skoda, Audi, Opel, Land Rover, Jaguar, Volvo, Porsche, SAAB, EU-Ford, Vauxhall, Peugeot, Citroen, Renault, Dacia, Fiat, Alfa Romeo, Lancia)

### Other features:

- DTC lookup
- Internet updatable and upgradable
- DTC Cause/tips
- Playbacks datastream
- Multilingual
- Print data via PC
- Graphical data





## CRP-129

**Inherits all functions of CRP-123**

### Additional features:

Opens and closes the brake pads, reads and clears EPB/SBC trouble codes, turns off the ECU and brake warning light, diagnoses EPB/SBC caliper functionality, resets oil service light, Sets inspection 1 service Interval, sets inspection 2 service interval, sets inspection mileage, DPF reset, steering angle sensor calibration, Airbag/ABS reset, brake pads reset



## Specifications

Screen: 3.5", 320\*480 TFT LCD true color display

Connection: standard 16 PIN OBD diagnostic interface

Input voltage: 9-18V

Working temperature: 0-50° C

Dimension: 136\*73\*22(mm)

Storage temperature: -20 to 70° C

Weight: <350g



## Attention

Creader VII/VIII are products designed and sold only in chinese domestic market. This models have no warranty coverage out of China.

LAUNCH Europe will not give any warranty or service for Creader VII/VIII in overseas market.



# CRP-123/129

We innovate your business

Product name: CReader Professional

Product code: CRP-123/129

Product available now at early of Dec 2013

Contact to order:

**LAUNCH**

Diagtools LTD

Pernavas 43A, Riga, LV1009

Tel: +371 29 41 60 69

Fax: +371 677 04 152

[diagtools@diagtools.lv](mailto:diagtools@diagtools.lv)

[www.diagtools.lv](http://www.diagtools.lv)